JOURNAL OF Veterinary Emergency AND Critical Care

Original Study



Journal of Veterinary Emergency and Critical Care 26(5) 2016, pp 630-638 doi: 10.1111/vec.12508

Evaluation of platelet function using multiple electrode platelet aggregometry in dogs with septic peritonitis

Ronald H.L. Li, DVM, DACVECC and Daniel L. Chan, DVM, DACVECC, DECVECC, DACVN

Abstract

Objective - To assess platelet function via multiple electrode platelet aggregometry (MEPA) in dogs with septic peritonitis and in healthy dogs. The secondary aim was to determine if there is prognostic significance to changes in platelet function observed in septic dogs.

Design – Prospective, observational cohort study conducted from January 2012 to March 2014.

Setting – University teaching hospital.

Animals – Twenty dogs with septic peritonitis and 23 healthy dogs.

Interventions - None.

Measurements and Main Results – MEPA using arachidonic acid, adenosine diphosphate, and collagen (COL) as agonists was measured within 24 hours of diagnosis of sepsis. Compared to healthy dogs, platelet aggregation was reduced in dogs with septic peritonitis for all agonists (P < 0.01). Overall mortality rate was 40%. MEPA in response to COL was significantly reduced in nonsurvivors compared to survivors (P = 0.019). Using receiveroperating characteristic curve statistics, a COL-activated MEPA less than 43.5 aggregation units had a sensitivity and specificity of 85.7% and 90.9%, respectively, for predicting nonsurvival in dogs with septic peritonitis. Conclusions - Circulating platelets from dogs with septic peritonitis have diminished aggregation in response to

multiple platelet agonists. MEPA may serve as an assessment tool for illness severity in this patient population.

(J Vet Emerg Crit Care 2016; 26(5): 630–638) doi: 10.1111/vec.12508

Keywords: canine, hemostasis, multiple organ dysfunction syndrome, platelet dysfunction, sepsis

Abbreviations			
AA	arachidonic acid		
ADP	adenosine diphosphate		
COL	collagen		
DIC	disseminated intravascular coagulation		
HES	hydroxyethyl starch		
MEPA	multiple electrode platelet aggregometry		

From the Section of Emergency and Critical Care, Department of Clinical Science and Services, Royal Veterinary College, University of London, London. UK.

Dr. Li's current address: Department of Anatomy, Physiology and Cell Biology, School of Veterinary Medicine, UC Davis, Davis, CA.

Dr. Chan is Editor of the journal but did not participate in the peer review process except as an author. The authors declare no other conflicts of interest.

Funding: This study was funded by PetSavers, the charitable division of the British Small Animal Veterinary Association. PetSavers Research Grant (2971).

Presented in part at the 20th International Veterinary Emergency and Critical Care Symposium, Indianapolis, IN, September 10–14, 2014.

Address correspondence and reprint requests to:

Dr. Ronald Li, Department of Anatomy, Physiology and Cell Biology, School of Veterinary Medicine, UC Davis, 5215 Vet Med 3A, Davis, CA 95616, USA. Email: rhli@ucdavis.edu

Submitted May 04, 2015; Accepted December 05, 2015.

MODS multiple organ dysfunction syndrome NSAIDs nonsteroidal anti-inflammatory drugs ROC receiver operating characteristic curve

Introduction

Despite recent advances in veterinary critical care, mortality rates in dogs with septic peritonitis remain high.¹ Death occurs most commonly in the immediate postoperative period and is associated with the presence of comorbidities, multiple organ dysfunction syndrome (MODS), and alterations in hemostasis.^{2–5}

In addition to being the primary effector cell of hemostasis, platelets play an important role in innate immunity and in the augmentation of the inflammatory response.^{6,7} Murine and human platelets express functional toll-like receptor-4, which permits recognition of lipopolysaccharides and interaction with neutrophils.^{8,9} Previous studies support the notion that sepsis-related changes in platelet function occur, and that the activation of platelets may promote microvascular thrombosis, disseminated intravascular coagulation (DIC) and, subsequently, MODS.^{10,11} However, the exact nature of

these derangements is unclear, as experimental and clinical studies often have conflicting results. One study reported that plasma taken from septic human patients stimulated platelets from healthy subjects to aggregate and adhere to endothelial cell cultures in vitro.¹² A report in rabbits demonstrated enhanced platelet rolling and adherence to pulmonary capillaries following experimental endotoxemia, which resulted in pulmonary platelet sequestration.¹³ Human clinical studies, however, have found platelet aggregation to be significantly reduced in patients with severe sepsis and septic shock.¹⁴

Changes in platelet function have been documented in dogs with inflammatory disorders, immune-mediated hemolytic anemia, uremia, and liver disease.^{15–17} However, sepsis-related platelet dysfunction has not been extensively studied. Using the Platelet Function Analyzer-100 in a canine endotoxic shock model, Yilmaz et al observed a transient decrease in platelet closure times despite the presence of thrombocytopenia.¹⁸ Dogs with naturally occurring sepsis and systemic inflammatory response syndrome were also found to have increased formation of platelet-neutrophil aggregates.¹⁹

The Multiplate analyzer, which uses multiple electrodes to evaluate impedance platelet aggregometry (MEPA), can be used for point-of-care assessment of platelet function. Kalbantner et al and Marschner et al have validated the use of the Multiplate analyzer in dogs and have shown that the device is capable of assessing canine platelet function with good precision.²⁰⁻²² Because of its ease of use, MEPA has been used to evaluate platelet function in a number of human clinical settings such as intensive care units and in patients undergoing surgery involving cardiopulmonary bypass.^{14,23} Decreased platelet aggregation as detected by MEPA was associated with disease severity and predicted early DIC in human patients with severe sepsis and septic shock.^{14,24,25} MEPA using collagen (COL) as an agonist was an independent predictor of the prognosis of human patients with severe sepsis.14 MEPA has not been evaluated in dogs with sepsis.

The primary aim of this study was to assess platelet function using MEPA in dogs with septic peritonitis, and to compare this platelet function to that of healthy dogs. The secondary aim of the study was to determine if there is any prognostic significance to changes in platelet function in dogs with septic peritonitis.

Materials and Methods

Study population

The study protocol was approved by the institutional ethics and welfare committee of the Royal Veterinary College. Client-owned dogs admitted to the Queen Mother Hospital for Animals of the Royal Veterinary College and diagnosed with septic peritonitis were eligible for enrollment. Diagnosis, from peritoneal fluid analysis, was based on cytologic identification of intracellular bacteria or fungi, or positive bacterial culture. Cytologic diagnosis was made by the attending clinician and confirmed by a board-certified clinical pathologist. Patients suspected of having septic peritonitis that did not have cytologic identification of intracellular organisms were temporarily enrolled into the study until further confirmation by positive bacterial cultures. Informed owner consent was required for study inclusion. Dogs were excluded if they weighed <5 kg, or had received anticoagulant or antiplatelet therapy during the preceding 30 days. In the context of this study, drugs such as aspirin and thienopyridines were considered to be antiplatelet drugs. Dogs that had received nonsteroidal anti-inflammatory drugs (NSAIDs) such as meloxicam, carprofen, and firocoxib were included. Dogs were excluded if their platelet count was $<100 \times 10^9/L$ [100 \times $10^3/\mu$ L]. Clinical management of patients was directed by their attending clinicians. Signalment, previous medical history, clinical examination findings, and clinicopathological data were recorded on admission to the hospital. Patients were discharged to owners when this was deemed to be clinically appropriate. Healthy dogs undergoing screening for use in the hospital's blood donor program served as the control population.

Patient sampling

Following patient assessment, diagnostic testing was performed at the discretion of the attending clinician to establish a diagnosis of septic peritonitis. Emergency point-of-care tests including venous blood-gas and electrolyte analyses^a, packed cell volume, and refractometric total plasma protein were performed on all patients at the time of admission.

Once a diagnosis was confirmed and client consent for study enrolment was obtained, blood was collected within 24 hours by 1 of 2 collection methods. In patients with central venous catheters, 5 mL of blood was first removed from the catheter by syringe aspiration before attaching a new syringe to obtain blood samples from the catheter. In patients without central venous catheters, blood samples were collected by direct jugular venipuncture using a 21-Ga blood collection set.^b The first blood tubes filled were used for CBC^c and serum biochemistry^d analysis. Samples for CBC were collected into evacuated potassium EDTA tubes. Samples for serum biochemistry analysis were collected into gel separator tubes. Samples for MEPA were collected into a 3.0 mL evacuated tube containing hirudine as the anticoagulant. Finally, blood was collected into an evacuated tube containing 3.2% sodium citrate for the measurement of prothrombin time and activated partial thromboplastin time on whole blood using a point-of-care analyzer.^f

Multiple electrode platelet aggregometry

Platelet function was assessed by MEPA^e according to the manufacturer's recommendations. All samples were analyzed following a 30-minute rest period at room temperature, and within 90 minutes of collection. In brief, 300 µL of hirudin-anticoagulated whole blood and 300 μL of 37°C 0.9% saline were added to each test cell, also warmed to 37°C. After 3 minutes of incubation and stirring, 20 µL of the stock agonist solution was added to each test cell. Platelets were activated with a final concentration of 15 mM arachidonic acid (AA),^g 0.2 mM adenosine diphosphate (ADP),^h or 100 mg/mL COL.ⁱ Each test cell incorporates a duplicate sensor for 2 simultaneous measurements, serving as an internal control. As platelet aggregation occurred on the surface of silver-coated electrodes within the test cell, changes in electrical impedance were reported as mean arbitrary aggregation units and area under the curve over a 6-minute interval. Measurements were repeated if the Pearson's correlation coefficient and difference between the 2 area under the curve were less than 0.98 or greater than 20%, respectively.

Review of medical records

Medical records for each patient were reviewed to determine signalment, the cause of septic peritonitis, hospitalization time, and the results of the bacterial culture of the peritoneal effusion. In addition, the use of oxygen therapy, synthetic colloids, human serum albumin, and vasopressor therapy was recorded. The presence of MODS was recorded, as defined by previously published criteria.⁴ Dogs that were discharged from the hospital were considered survivors. Dogs that were euthanized due to financial constraints were censored and not considered as nonsurvivors. Only dogs that died or were euthanized due to moribund state were considered nonsurvivors.

Statistical analysis

Normality of the data sets was tested by use of the Shapiro–Wilk test. To compare categorical variables between groups, a 2 by 2 contingency table was constructed and Fisher's exact test performed. Continuous variables were compared using a Mann–Whitney test or *t*-test as appropriate. Correlations between continuous variables were assessed by Pearson correlation coefficient (r^2). Receiver operating characteristic (ROC) curves were constructed to determine optimal cut-offs to predict nonsurvival if significant differences between groups were found. The areas under the ROC curves

were compared using the method described by Hanley and McNeil.²⁶ Statistical analysis was performed using commercially available software.^j An a priori alpha of P < 0.05 was considered statistically significant.

Results

Patient population and characteristics

Twenty-three dogs (15 males, 8 females) undergoing screening for the hospital's blood donor program served as the healthy control population. Twenty dogs (10 males, 10 females) with septic peritonitis were prospectively enrolled between January 2013 and March 2014. The median age of the control group was 7 years (range: 5–8). The median age of the septic peritonitis group was 7 years (range: 2.75–16.5). Age was not significantly different between the 2 groups (P = 0.51).

Peritoneal fluid was submitted for aerobic culture and antimicrobial susceptibility testing in all 20 dogs with septic peritonitis. The microorganisms isolated were Escherichia coli (n = 14), Enterococcus spp. (n = 3), Streptococcus canis (n = 2), Clostridium perfringens (n = 2), Candidaalbicans (n = 2), and Pseudomonas aeruginosa (n = 1). Two or more microorganisms were isolated from 8 (40%) dogs. Only C. albicans was cultured from 1 dog (5%) with concurrent pyloric perforation and diabetic ketoacidosis. Nineteen dogs had positive identification of intracellular organisms prior to surgery. One dog was temporarily enrolled into the study due to failure to cytologically identify intracellular organisms but was later confirmed by positive bacterial cultures of P. aeruginosa and Enterococcus spp. in peritoneal fluid. Bacterial culture did not yield any growth in 5 cases. The most common source of septic peritonitis was the gastrointestinal tract followed by urogenital and hepatobiliary systems. The etiology of septic peritonitis is summarized in Table 1. All dogs underwent exploratory laparotomy and had primary closure of the peritoneal cavity except for 1 dog that was euthanized intraoperatively. MODS was identified in 6 (30%) dogs. Five of 6 dogs (83%) with MODS died. Thirteen (65%) dogs survived to discharge, and 7 dogs (35%) died or were euthanized. Only 5 dogs had preoperative measurements of prothrombin time (reference interval: 11-17 s) and activated partial thromboplastin time (reference interval: 72-102 s) with medians of 17 (range: 10-19) and 148 (range: 116-168) seconds, respectively. None of the dogs had any clinical evidence of hemorrhage.

Two dogs were excluded from the nonsurvivor group; 1 dog was euthanized intraoperatively due to the presence of metastatic neoplasia and the other was euthanized in the postoperative period due to identification of gastrointestinal lymphoma and persistent vomiting. In the nonsurvivor group, 3 dogs experienced
 Table 1: Characterization of etiology of septic peritonitis in dogs

Etiology	Patients with septic peritonitis (<i>n</i> = 20)	Survivors (<i>n</i> = 13)	Non- survivors (<i>n</i> = 5)
Gastrointestinal			
Postoperative dehiscence	5	3	2
Neoplasia	5	3	0
Use of NSAIDs	2	0	2
Strangulation and incarceration	1	1	0
Perforation (idiopathic)	1	1	0
Foreign body	1	1	0
Urogenital			
Prostatic abscess	2	2	0
Pyometra	1	1	0
Hepatobiliary			
Bacterial cholecystitis	2	1	1

NSAIDs, nonsteroidal anti-inflammatory drugs.

Table 2: Comparison of demographic variables and interventions in dogs with septic peritonitis

	Survivors (<i>n</i> = 13)	Nonsurvivors (<i>n</i> = 5)	P
Age (years)	8 (3.4, 10.5)	6 (5.6, 9.8)	0.777
Sex (male/female)	(7/6)	(2/3)	1.000
Vasopressor therapy	0	3	0.0245*
Oxygen therapy or need			
of mechanical	0	4	0.0049*
ventilation			
Use of synthetic			
colloids [†]	3	3	0.344
Use of HSA [‡]	0	3	0.0245*
MODS	1	5	0.0039*
Length of			
hospitalization (days)	6.0 (4.25, 9.0)	1.5 (0.56, 4.0)	0.006*

Continuous variables are expressed as median (25th and 75th percentiles).

HSA, human serum albumin; MODS, multiple organ dysfunction syndrome.

*Significant differences.

[†]6% hydroxyethyl starch 130/0.4 in 0.9% sodium chloride solution.^k

[‡]20% human serum albumin.

cardiopulmonary arrest in the postoperative period. The other 2 dogs were euthanized in the postoperative period. One of these dogs was euthanized because of anuria secondary to acute kidney injury, for whom the owners declined to pursue renal replacement therapy. The other was euthanized due to acute respiratory distress syndrome. Summary statistics of both groups are presented in Table 2.

Platelet aggregation in dogs with septic peritonitis

In comparison to healthy dogs, platelet aggregation was significantly reduced in dogs with septic




Figure 1: Box and whisker plots of platelet aggregation, as determined by multiple electrode impedance platelet aggregometry, in healthy dogs and dogs with septic peritonitis. Aggregometry findings are shown as the area under the curve (AUC) with activators arachidonic acid (AA), adenosine diphosphate (ADP), and collagen (COL). The first and third quartiles are represented by the lower and upper boundaries of the box, respectively, and the line within the box represents the median. The whiskers represent the complete range of data and outliers are shown. A significant difference (*) was detected between groups when AA (P < 0.001), ADP (P < 0.001), and COL (P = 0.010) were used as agonists.

peritonitis when AA (P < 0.001), ADP (P < 0.001), and COL (P < 0.05) were used as agonists (Figure 1). Platelet aggregation using any of the 3 agonists was not significantly different among dogs with or without MODS (Table 3). Among dogs with septic peritonitis, COL-induced platelet aggregation was significantly lower in

	Groups		
	Control	Septic peritonitis	Р
AA	50.0 (38, 56)	7 (2.5, 31.5)	<0.001*
ADP	66.0 (49, 76)	34 (13, 45)	<0.001*
COL [†]	65.5 (22.4)	48.65 (21.6)	0.010*
Platelet (×10 ⁹ /L)	290 (212, 395)	177 (150, 238)	0.002*
PCV (%) [†]	42 (9.0)	46 (11.0)	0.291
Neutrophils (×10 ⁹ /L)	6.04 (4.97, 6.49)	15.54 (8.42, 24.63)	<0.001*
	Survivors	Nonsurvivors	
AA	13.0 (3.0, 43.0)	7.0 (1.5, 12.0)	0.335
ADP	35.5 (16.5, 51.0)	20.0 (4.9, 50.0)	0.206
COL	55.0 (45, 63.5)	39.5 (15.5, 44.5)	0.019*
Platelet (×10 ⁹ /L) [†]	173.55 (55.69)	213.50 (126.10)	0.488
PCV (%)	45 (40, 52)	43 (30, 53)	0.820
Neutrophils (×10 ⁹ /L)	11.79 (6.8, 18.7)	15.2 (10.2, 25.0)	0.922
	No MODS	MODS	
AA 9.0 (3.0, 41.0)		7.0 (1.5, 11.8)	0.355
ADP	36.0 (14.0, 49.0)	22.0 (14.5, 56.5)	0.657
COL	48.0 (35.0, 63.0)	41.5 (30.5, 51.3)	0.219
Platelet (×10 ⁹ /L)	204.5 (150.8, 242.3)	144 (80.0, 287.0)	0.272
PCV (%)	47.5 (40.5, 54.5)	43.0 (37.5, 51.8)	0.480
Neutrophils ($\times 10^9$ /L)	14.5 (7.9, 24.6)	15.2 (5.6, 25.0)	0.735

Continuous variables and median (25th, 75th percentile) are reported.

*Statistical significance.

[†]Continuous variables and mean (standard deviations) are reported.

PCV, packed cell volume.

	1	6 41
Table 4: Receiver-operating curve statistics for a	multiple electrode platelet aggregometr	v for the prognosis of septic peritonitis in dogs

Agonists	AUC	Optimal cut-off	Sensitivity	Specificity	95% Confidence interval	Р
AA	0.675	27	100	41.7	0.418-0.932	0.268
ADP	0.700	28	80.0	66.7	0.404-0.996	0.206
COL	0.817	43.5	83.3	83.3	0.608–1.000	0.045

Area under the curve (AUC) with 95% confidence interval and asymptotic *P*-values are provided using activators arachidonic acid (AA), adenosine diphosphate (ADP), and collagen (COL).

nonsurvivors (P < 0.05; Figure 2). Platelet count did not correlate with platelet aggregation induced by AA ($r^2 = 0.020$, P = 0.50), ADP ($r^2 = 0.069$, P = 0.29), or COL ($r^2 = 0.017$, P = 0.60). Neutrophil count also did not correlate with platelet aggregation induced by AA ($r^2 = 0.022$, P = 0.54), ADP ($r^2 = 0.11$, P = 0.18), or COL ($r^2 = 0.000025$, P = 0.98).

Prognostic significance of platelet aggregation in dogs with septic peritonitis

ROC curves were constructed to determine separate cut-offs for platelet aggregation to predict nonsurvival using AA, ADP, and COL as agonists (Figure 3). No-tably, the area under the ROC curve of COL-induced

aggregation was 0.82 (95% confidence interval: 0.61– 1.00). A cut-off of 43.50 for COL-induced aggregation resulted in a sensitivity and specificity of 83.3% for predicting nonsurvival. Summary data of ROC-curve statistics are detailed in Table 4.

Discussion

Platelet aggregation was significantly reduced in dogs with septic peritonitis as measured by MEPA, using multiple agonists. The decreased AA-induced platelet aggregation may be an exacerbation of the already variable and weak response to AA in most canine platelets.²⁷ In addition, sepsis may result in alterations of the cyclooxygenase pathway that is responsible for converting




Figure 2: Box and whisker plots of platelet aggregation, as determined by multiple electrode impedance platelet aggregometry, in survivors and nonsurvivors, after exclusion of euthanized dogs, with septic peritonitis. Aggregometry findings are shown as area under the curve (AUC) with activators arachidonic acid (AA), adenosine diphosphate (ADP), and collagen (COL). The first and third quartiles are represented by the lower and upper boundaries of the box, respectively, and the line within the box represents the median. The whiskers represent the complete range of data and outliers are shown. A significant difference (*) was detected between groups when COL was used as an agonist (*P* = 0.019).




Figure 3: Receiver operating curve for the prediction of mortality by multiple electrode impedance platelet aggregometry in dogs with septic peritonitis with activators arachoidonic acid (AA), adenosine diphosphate (ADP), and collagen (COL).

AA to thromboxane A₂, an agonist that induces conformational changes of integrin $\alpha_{IIb}\beta_{3}$ and mediating further ligand binding and platelet aggregation.^{10,28} Reduced platelet aggregation in response to COL reflects the presence of hyporeactive circulating platelets in dogs with septic peritonitis. Although the exact causes of this phenomenon are unknown, several studies suggested that the decrease in platelet aggregation in patients with sepsis may be secondary to a shift of platelet function from hemostasis toward vascular healing and innate immunity.^{10,29} In human and other animal models, endotoxemia promotes platelet cytokine release, platelet-neutrophil interaction, and the formation of neutrophil extracellular traps, which have both antimicrobial and prothrombotic properties. 9-11,30-33 Another possibility for the decreased aggregation seen in the circulating platelet population is the sequestration of reactive platelets in the microvasculature. This was demonstrated by Clark et al, who induced plateletneutrophil interaction in the liver sinusoids of mice treated with lipopolysaccharide.⁸

The present study further characterizes the hemostatic imbalance found in canine sepsis. Although elements of sepsis have been considered to promote a hypercoagulable state, this study supports the notion that the presence of a hypocoagulable state is associated with poor outcome and nonsurvival in dogs with sepsis.^{5,34} In Bentley et al's study, nonsurvivors not only had increased D-dimers but had hypocoagulability that failed to resolve in the postoperative period, suggesting that decompensated and excessive thrombosis resulting in hypocoagulability and hyperfibrinolysis may be associated with nonsurvival.⁵ Enhanced platelet-neutrophil interaction and sequestration of reactive platelets in the microvasculature can lead to thrombosis, impairment of organ perfusion, and ultimately MODS.^{11,12,35,36}

In agreement with human clinical studies, MEPA using COL was significantly associated with nonsurvival in our study.^{11,14} Adamzik et al showed that decreased COL-induced MEPA was more sensitive and specific than procalcitonin and C-reactive protein for predicting outcome in people with severe sepsis.¹⁴ Out of the 3 agonists used in this study, only COL-induced aggregation was significantly different between survivors and nonsurvivors. One possible explanation is that platelets can become refractory to in vitro ADP stimulation following in vivo or ex vivo exposure to ADP.37 Because erythrocytes can release ADP, increased hemolysis or prolonged incubation of whole blood prior to MEPA analysis may have resulted in refractoriness to ADP. Further studies are needed to evaluate serial changes in platelet aggregation in dogs with septic peritonitis, as it may carry greater prognostic significance than measurement of aggregation responses at a single time point.

Kenney et al reported a mortality rate of 70% for dogs with MODS, which is similar to the current study, where nearly all dogs (83%) with MODS failed to survive. However, no differences in platelet function were detected between dogs with or without MODS. Given the small number of dogs in this study, the failure to detect any differences among these 2 groups of dogs may have been caused by type II error. Also, the present study only classified organ dysfunction as either present or absent, based on criteria established by a previous study.⁴ Serial assessment of organ dysfunction or employment of other scoring systems such as the acute patient physiologic and laboratory evaluation (APPLE) score or survivor prediction index 2 (SPI2) that evaluate severity of organ dysfunction may have resulted in a more sensitive detection of MODS.^{38,39} In addition, the lack of standardized management and diagnostics performed on the dogs of this report represents a limitation of this study and prevented the authors from using published disease severity scoring systems.

Thrombocytopenia is a common hematologic finding in critically ill people, and may be a result of bone marrow suppression, splenic sequestration, hemodilution, or consumption related to microvascular thrombosis or DIC.⁴⁰ Similarly, in the present study, dogs with septic peritonitis had a significantly lower median platelet count compared to healthy dogs. This finding, however, did not influence platelet aggregation, as platelet count did not correlate with the MEPA results. Because the results obtained with MEPA are influenced by both platelet function and platelet count, we strictly excluded thrombocytopenic dogs in the present study, which may have prevented a true representation of the overall septic population.⁴¹ The platelet count of $100 \times$ 10⁹/L was chosen based on an experimental study in human platelets which showed a platelet count of 100 \times 10^9 /L or less significantly decreased aggregation as measured by MEPA by 18%, irrespective of the agonist. The study also showed a large interindividual variation and no changes in MEPA once platelet count was above 150 $\times 10^9$ /L.⁴² Since platelet dysfunction was noted in nonsurvivors without moderate to severe thrombocytopenia, the detection of platelet hyporesponsiveness may indicate the presence of early DIC, before the onset of thrombocytopenia and prolonged coagulation times.^{5,24} Further investigations on the influence of canine platelet count on MEPA are required.

This is the first study documenting the use of MEPA in a veterinary critical care setting. Platelet aggregometry using MEPA provides a rapid, low-cost, point-of-care assessment of platelet function. Although optical aggregometry has been considered to be a gold standard for assessing platelet aggregation, it is poorly standardized across laboratories and is subjected to numerous preanalytical and analytical variables that may influence results.43 Unlike optical aggregometry, MEPA does not require the generation of platelet rich plasma. This not only eliminates the requirement of larger volumes of blood and shortens preparation time, but also minimizes the activation of platelets prior to analysis.44 The utilization of diluted whole blood in MPEA is also considered more physiologic because it preserves the opportunity for erythrocyteand leukocyte-platelet interactions. Erythrocytes can augment platelet function by increasing platelet AA release and expression of integrin $\alpha_{IIb}\beta_3$, while neutrophils can downregulate platelet reactivity.45 While neutrophil count did not correlate with MEPA findings in the present study, it is unknown at this time if the significant neutrophilia noted in the septic group may have contributed to platelet hypofunction in these dogs.

The present study has several limitations. The small sample size may have limited the statistical power of the study, specifically in the ability to detect platelet dysfunction in patients with MODS. Since dogs that were euthanized were considered nonsurvivors for the purpose of statistical analysis in this study, this complicates the interpretation of survival as an outcome. Despite a relatively homogeneous population, the differences of underlying etiology of septic peritonitis and lack of standardized patient management may also have had an impact on platelet function and patient survival. For instance, antibiotic therapy with beta-lactams can cause reversible in vivo dysfunction of human platelets.⁴⁶ Prior use of NSAIDs in some dogs may also have influenced the results of this study. Brainard et al demonstrated that therapeutic dosages of carprofen, meloxicam, and deracoxib decreased ADP-induced platelet aggregation but had little effect on COL-induced aggregation.⁴⁷ In addition, since the use of NSAIDs is commonly associated with gastrointestinal perforation and septic peritonitis in dogs, we did not exclude dogs that had received NSAIDs prior to admission.³ Because only 2 dogs were treated with NSAIDs prior to enrollment into the study, a comparison of those with or without treatment was not attempted.

Because of the lack of standardized dosing and timing of blood sampling, this study was not designed to search for a causative relationship between platelet dysfunction and the administration of hydroxyethyl starch (HES) 130/0.4 solutions. Previous studies have documented in vitro impairment of canine platelet function by HES 130/0.4 solutions, and a similar process may also occur in vivo and, therefore, influence the results of this study.^{48,49} Large clinical trials evaluating the risk of HES administration in dogs with sepsis are needed. Lastly, univariate and multivariate analyses would be required for identification of additional factors such as platelet In conclusion, circulating platelets in dogs with septic peritonitis have diminished aggregation in response to AA, ADP, and COL. COL-induced MEPA may be a candidate assay for prediction of nonsurvival in septic dogs. Further studies are needed to evaluate the progression of changes in platelet function during sepsis and to determine the underlying causes of platelet dysfunction. MEPA may also serve as an assessment tool for disease severity in sepsis.

Footnotes

- ^a Critical Care Xpress, NOVA Biomedical Corporation, Waltham, MA.
- ^b BD Safety-Lok, Becton Dickinson, UK.
- ^c Cell-Dyn 2500, Abbott Diagnostics, Abbott Park, IL.
- ^d ILAB 600, Holliston, MA.
- e Roche Diagnostic International Limited, Rotkreuz, Switzerland.
- f CoagDx Analyzer, IDEXX Laboratories, Westbrook, ME.
- ^g ASPItest, Roche Diagnostic International Limited.
- ^h ADPtest, Roche Diagnostic International Limited.
- ⁱ COLtest, Roche Diagnostic International Limited.
- ^j Prism 6, GraphPad Software, La Jolla, CA.
- k Voluven[®], Fresenius Kabi Ltd, Bad Homburg vor der Höhe, Germany.

References

- Bentley AM, Otto CM, Shofer FS. Comparison of dogs with septic peritonitis: 1988–1993 versus 1999–2003. J Vet Emerg Crit Care 2007; 17(4):391–398.
- King LG. Postoperative complications and prognostic indicators in dogs and cats with septic peritonitis: 23 cases (1989–1992). J Am Vet Med Assoc 1994; 204(3):407–414.
- 3. Dayer T, Howard J, Spreng D. Septic peritonitis from pyloric and non-pyloric gastrointestinal perforation: prognostic factors in 44 dogs and 11 cats. J Small Anim Pract 2013; 54(12):625–629.
- Kenney EM, Rozanski EA, Rush JE, et al. Association between outcome and organ system dysfunction in dogs with sepsis: 114 cases (2003-2007). J Am Vet Med Assoc 2010; 236(1):83–87.
- Bentley AM, Mayhew PD, Culp WTN, et al. Alterations in the hemostatic profiles of dogs with naturally occurring septic peritonitis. J Vet Emerg Crit Care 2013; 23(1):14–22.
- Semple JW, Italiano JE, Freedman J. Platelets and the immune continuum. Nat Rev Immunol 2011; 11(4):264–274.
- Akinosoglou K, Alexopoulos D. Use of antiplatelet agents in sepsis: a glimpse into the future. Thromb Res 2014; 133(2):131–138.
- Clark SR, Ma AC, Tavener SA, et al. Platelet TLR4 activates neutrophil extracellular traps to ensnare bacteria in septic blood. Nat Med 2007; 13(4):463–469.
- 9. Andonegui G, Kerfoot SM, McNagny K, et al. Platelets express functional Toll-like receptor-4. Blood 2005; 106(7):2417–2423.
- Yaguchi A, Lobo FLM, Vincent JL, et al. Platelet function in sepsis. J Thromb Haemost 2004; 2:2096–2102.
- 11. Stark RJ, Aghakasiri N, Rumbaut RE. Platelet-derived Toll-like receptor 4 (Tlr-4) is sufficient to promote microvascular thrombosis in endotoxemia. PLoS One 2012; 7(7):e41254.
- Gawaz M, Dickfeld T, Bogner C, et al. Platelet function in septic multiple organ dysfunction syndrome. Intensive Care Med 1997; 23(4):379–385.
- Kiefmann R, Heckel K, Schenkat S, et al. Role of P-selectin in platelet sequestration in pulmonary capillaries during endotoxemia. J Vasc Res 2006; 43(5):473–481.

- Platelet function in septic peritonitis
- Adamzik M, Görlinger K, Peters J, et al. Whole blood impedance aggregometry as a biomarker for the diagnosis and prognosis of severe sepsis. Crit Care 2012; 16(5):R204.
- Weiss DJ, Brazzell JL. Detection of activated platelets in dogs with primary immune-mediated hemolytic anemia. J Vet Intern Med 2006; 20(3):682–686.
- Willis SE, Jackson ML, Meric SM, et al. Whole blood platelet aggregation in dogs with liver disease. Am J Vet Res 1989; 50(11):1893–1897.
- Ferkau A, Gillmann H-J, Mischke R, et al. Infection-associated platelet dysfunction of canine platelets detected in a flow chamber model. BMC Vet Res 2013; 9:112. doi: 10.1186/1746-6148-9-112
- Yilmaz Z, Ilcol YO, Torun S, et al. Intravenous administration of choline or CDP-choline improves platelet count and platelet closure times in endotoxin-treated dogs. Shock 2006; 25(1):73–79.
- Dircks BH, Mischke R, Schuberth H-J. Platelet-neutrophil aggregate formation in blood samples from dogs with systemic inflammatory disorders. Am J Vet Res 2012; 73(7):939–945.
- Kalbantner K, Baumgarten A, Mischke R. Measurement of platelet function in dogs using a novel impedance aggregometer. Vet J 2010; 185(2):144–151.
- Marschner CB, Kristensen AT, Spodsberg EH, et al. Evaluation of platelet aggregometry in dogs using multiplate platelet analyzer: impact of anticoagulant choice and assay duration. J Vet Emerg Crit Care 2012; 22(1):107–115.
- Jandrey KE. Assessment of platelet function. J Vet Emerg Crit Care 2012:22(1):81–98.
- Rahe-Meyer N, Winterhalter M, Boden A et al. Platelet concentrates transfusion in cardiac surgery and platelet function assessment by multiple electrode aggregometry. Acta Anaesthesiol Scand 2009; 53(2):168–175.
- Brenner T, Schmidt K, Delang M, et al. Viscoelastic and aggregometric point-of-care testing in patients with septic shock—cross-links between inflammation and haemostasis. Acta Anaesthesiol Scand 2012; 56(10):1277–1290.
- 25. Davies GR, Mills GM, Lawrence M, et al. The role of whole blood impedance aggregometry and its utilisation in the diagnosis and prognosis of patients with systemic inflammatory response and sepsis in acute critical illness. PLoS One 2014; 9(9):e108589
- Hanley JA, McNeil BJ. A method of comparing the areas under receiver operating characteristic curves derived from the same cases. Radiology 1983; 148(3):839–843.
- Johnson GJ, Leis LA, Rao GH, et al. Arachidonate-induced platelet aggregation in the dog. Thromb Res 1979; 14(1):147–154.
- Goggs R, Poole AW. Platelet signaling-A primer. J Vet Emerg Crit Care 2012; 22(1):5–29.
- Yeaman MR. Platelets in defense against bacterial pathogens. Cell Mol Life Sci 2009; 67(4):525–544.
- Cox D, Kerrigan SW, Watson SP. Platelets and the innate immune system: mechanisms of bacterial-induced platelet activation. J Thromb Haemost 2011; 9(6):1097–1107.
- Sreeramkumar V, Adrover JM, Ballesteros I, et al. Neutrophils scan for activated platelets to initiate inflammation. Science 2014; 346(6214):1234–1238.
- Brinkmann V, Zychlinsky A. Beneficial suicide: why neutrophils die to make NETs. Nat Rev Microbiol 2007; 5(8):577–582.
- Gould TJ, Vu TT, Swystun LL, et al. Neutrophil extracellular traps promote thrombin generation through platelet-dependent and platelet-independent mechanisms. Arterioscler Thromb Vasc Biol 2014; 34(9):1977–1984.
- de Laforcade AM, Freeman LM, Shaw SP, et al. Hemostatic changes in dogs with naturally occurring sepsis. J Vet Intern Med 2003; 17(5):674–679.
- Gawaza M, Fateh-Moghadam S, Pilz G, et al. Platelet activation and interaction with leucocytes in patients with sepsis or multiple organ failure. Eur J Clin Invest 1995; 25(11):843–851.
- 36. Ding N, Chen G, Hoffman R, et al. Toll-like receptor 4 regulates platelet function and contributes to coagulation abnormality and organ injury in hemorrhagic shock and resuscitation. Circ Cardiovasc Genet 2014; 7(5):615–624.
- Baurand A, Eckly A, Bari N, et al. Desensitization of the platelet aggregation response to ADP: differential down-regulation of the P2Y1 and P2cyc receptors. Thromb Haemost 2000; 84(3):484–491.

© Veterinary Emergency and Critical Care Society 2016, doi: 10.1111/vec.12508

- Hayes G, Mathews K, Doig G, et al. The acute patient physiologic and laboratory evaluation (APPLE) score: a severity of illness stratification system for hospitalized dogs. J Vet Intern Med 2010; 24(5):1034–1047.
- King LG, Wohl JS, Manning AM, et al. Evaluation of the survival prediction index as a model of risk stratification for clinical research in dogs admitted to intensive care units at four locations. Am J Vet Res 2001; 62(6):948–954.
- 40. Katz JN, Kolappa KP, Becker RC. Beyond thrombosis: the versatile platelet in critical illness. Chest 2011; 139(3):658–668.
- 41. Stissing T, Dridi NP, Ostrowski SR, et al. The influence of low platelet count on whole blood aggregometry assessed by multiplate. Clin Appl Thromb Hemost 2011; 17(6):211–217.
- Hanke AA, Roberg K, Monaca E, et al. Impact of platelet count on results obtained from multiple electrode platelet aggregometry (MultiplateTM). Eur J Med Res 2010; 15(5):214–219.
- 43. Harrison P. Platelet function analysis. Blood Rev 2005; 19(2):111-123.
- 44. Breddin HK. Can platelet aggregometry be standardized? Platelets 2005; 16(3-4):151–158.

- Valles J, Santos MT, Marcus AJ, et al. Downregulation of human platelet reactivity by neutrophils. Participation of lipoxygenase derivatives and adhesive proteins. J Clin Invest 1993; 92(3):1357– 1365.
- Schulz C, Beckerath von O, Okrojek R, et al. Platelet dysfunction and inhibition of multiple electrode platelet aggregometry caused by penicillin. Thromb J 2010; 8:13–30.
- 47. Brainard BM, Meredith CP, Callan MB, et al. Changes in platelet function, hemostasis, and prostaglandin expression after treatment with nonsteroidal anti-inflammatory drugs with various cyclooxygenase selectivities in dogs. Am J Vet Res 2007; 68(3):251– 257.
- Classen J, Adamik KN, Weber K, et al. In vitro effect of hydroxyethyl starch 130/0.42 on canine platelet function. Am J Vet Res 2012; 73:1908–1912.
- McBride D, Hosgood GL, Mansfield CS, et al. Effect of hydroxyethyl starch 130/0.4 and 200/0.5 solutions on canine platelet function in vitro. Am J Vet Res 2013; 74(8):1133– 1137.