

Salmonella Wandsworth

Background: *Salmonella enterica* subsp. *enterica* serovar Wandsworth (antigenic formula 39:b:1,2) is a serovar of the O:39 (Q) serogroup.

Animal reservoir: Serovar Wandsworth was found in frogs, snakes and crickets.

Geographical distribution: Serovar Wandsworth has been found in Germany, China, Thailand, and U.S.

Outbreaks: Outbreaks have been associated with *S. Wandsworth*.

Year	Location	Associated Source	Number of Cases
2007	US-multistate	Vegetable-coated snack food	65

Relevant links and references:

1. <https://pubmed.ncbi.nlm.nih.gov/25294079/>
2. <https://pubmed.ncbi.nlm.nih.gov/26093990/>
3. <https://onlinelibrary.wiley.com/doi/abs/10.1111/zph.12286>
4. <https://www.sciencedirect.com/science/article/abs/pii/S0168160522003324?via%3Dihub>
5. <https://www.cdc.gov/salmonella/2007/veggie-booty-7-18-2007.html>
6. https://journals.lww.com/pidj/Abstract/2009/12000/Outbreak_of_Salmonella_Wandsworth_and_Typhimurium.4.aspx
7. https://journals.sagepub.com/doi/10.1177/1040638711434110?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%20%200pubmed